

Calhoun County Groundwater Conservation District

P.O. Box 69, Victoria, Texas 77902

Phone: (361)579-6863 | Email: admin@calhouncountygcd.org | Website: www.calhouncountygcd.org

September 8, 2026

Groundwater Management Area 15 Administrator
c/o Victoria County Groundwater Conservation District
P.O. Box 69, Victoria, Texas 77902

RE: Summary of Relevant Comments, Suggested Revisions, and Supporting Materials related to the Desired Future Conditions of Groundwater Management Area 15

Representatives of Groundwater Management Area 15,

On behalf of the Calhoun County Groundwater Conservation District, I submit the following information to you for consideration in accordance with Section 36.108(d-2) of the Water Code. Section 36.108(d-2) of the Water Code specifies that "[a]fter the close of the public comment period, the district shall compile and submit to the district representatives for consideration at the next joint planning meeting: (1) a summary of relevant comments received; (2) any suggested revisions to the proposed desired future conditions, and the basis for those revisions; and (3) any supporting materials, including new or revised groundwater availability model run results."

On April 7, 2026, the District received the proposed desired future conditions of Groundwater Management Area 15.

On May 13, 2026, the public notice for the public hearing to receive public comment and consider possible action on the proposed desired future conditions of Groundwater Management Area 15 was published in a newspaper with general circulation within the district. On May 14, 2026, the public notice was posted at the District's office, and with the County Clerk's Office. On May 15, 2026, the public notice was posted on the District's website.

On July 27, 2026, the Board of Directors held a public hearing at 312 W. Live Oak, Port Lavaca, Calhoun County, Texas, to receive public comment on the proposed desired future conditions of Groundwater Management Area 15.

On July 27, 2026, the Board of Directors passed a motion to close the public hearing and public comment period regarding the proposed desired future conditions of Groundwater Management Area 15.

During the public comment period, the District did not receive relevant comments regarding the proposed desired future conditions of Groundwater Management Area 15. The District did not suggest revisions to the proposed desired future conditions nor develop revised groundwater availability model run results.

Regards,



Tim Andruss
General Manager